



1.3

2

2.1

2.2

GB/T

27021/I SO/I EC 17021-1

2.3

2.4

GB/T

27021/I SO/I EC 17021-1

2.5

3

3.1

3. 2

4

4. 1

4. 1. 1

1

"

"

4. 1. 4      4. 1. 2   4. 1. 3

4. 1. 5

1

2

3

4

5

6

7

4. 2

4. 2. 1

4. 2. 1. 1

A

4. 2. 1. 2

80

4. 2. 2

4. 2. 2. 1

n

4. 2. 3. 3

4. 2. 3. 4

1 . . 4. 2. 1

4. 3. 1

4. 3. 3. 1

4. 3. 3. 2

1

2

GB/T

19001/ISO 9001

3

3

4

5

3

3

4. 3. 3. 3

1

2

3

4. 3. 3. 4

4. 3. 3. 5

GB/T 19001/ISO 9001

1

2

3

4

5

4. 3. 4

1

2

3

4. 4

4. 4. 1

1

2

3

4

5

6

4. 3

4. 3. 3. 5

7

8

4. 4. 2

4. 4. 3

30

4. 4. 4

4. 5

4. 5. 1

6

6

4. 6. 5

4. 3. 3. 5

4. 6

4. 6. 1

4. 6. 2

4. 6. 3

1

4. 4

2

3

4. 6. 4

4. 6. 3

1

2

3

4. 6. 5

1

GB/T

19001/ISO 9001

2

4. 6. 6

30

5

5. 1

5. 2

5. 1

5. 2. 1

12

15

5. 2. 2

7. 2 7. 3

5. 2. 3

30

5. 3

4. 2. 1

1/3

5. 4

4. 2. 2

4. 3. 1

5. 5

4. 2. 3. 3

5. 6

1

2     4. 3. 3. 2     4

3

4

5

6

7

8

9

5. 7

5. 8

5. 6

5. 9

6

6. 1

6. 2

4. 2. 2

4. 3. 1

4. 2. 3

4. 2. 1

2/3

6. 3

7.2

7.2.1

5

1

2

3

4

5

6

7.2.2

6

7.2.1

4

7.2.3

7.3

7.3.1

5

1

2

3

4

5

6

7

8

9

2

10

7.3.2

7.4

7.5

8

8.1

1

2

3

GB/T 19001/ISO 9001

4

5

6

7

8

“

[www.cnca.gov.cn](http://www.cnca.gov.cn)

"

8.2

11

60

12

12.1

12.2

12.3

12.4

13

13.1

GB/T 19001/ISO 9001

13.2

13.3

A

	1	2		1	2
1-5		1.5	626-875		12
6-10		2	876-1175		13
11-15		2.5	1176-1550		14
16-25		3	1551-2025		15
26-45		4	2026-2675		16
46-65		5			

66- 85	6	3451- 4350	18
86- 125	7	4351- 5450	19
126- 175	8	5451- 6800	20
176- 275	9	6801- 8500	21
276- 425	10	8501- 10700	22
426- 625	11	>10700	

1.

2.

3.